



A.C.N 106 609 143

Level 2, Kyle House
27 Macquarie Place
Sydney NSW 2000

Tel: 02 9251 3311
Fax: 02 9251 6550

16th January, 2008

Operational update.

The Directors of K2 Energy Limited provide the following operational update in respect of the company's projects in Oklahoma and South Texas.

Highlights

- Workovers starting to yield increased production levels
- Three proposed exploration wells delayed
- Additional 5 exploration wells identified for drilling
- Shary #2 to be plugged and abandoned
- Testing continuing at Patriot 3

Well workover program – Bad Creek Project

K2 Energy is pleased to announce that recent workovers of four existing wells have yielded production increases as follows:

Longview 2-17 - 6 barrels of oil per day (BOPD). (K2 100% interest.)

Snell 2-19 - 120,000 cubic feet gas per day (120mcf) (K2 50% interest)

Longview 1-17 - 25,000 cubic feet per day (K2 100% interest)

Long 1-27- 8 BOPD and 40,000 cubic feet per day (K2 100% interest)

If production rates and oil and gas prices remain at current levels, these completions should add in excess of \$750,000 to gross production revenue over the next 12 months.

The workover program is continuing on several additional wells and hence further production increases can be expected.

New Exploration wells – Bad Creek Project Oklahoma

The three proposed exploration wells scheduled to be spudded on 3D seismic generated targets in the Bad Creek project in December have been delayed due to administrative delays in the legal process of force pooling the drilling acreage for the three locations. The Operator expects that the acreage pooling process should be finalized within the next 30 days and the wells will commence drilling as soon as possible thereafter.

An additional five drilling locations in the Bad Creek Project are currently moving through the pooling process and should be completed in the next few months.

Discovery Well updates

Patriot #3 – Bad Creek Project Oklahoma (12.6%)

The Patriot #3 is a development well offsetting the producing Patriot #1 well, which is currently producing around 500,000 cubic feet per day. The well log identified 4 potential producing zones and 65 feet of potential net pay in the Booch, Cromwell, Union valley and Jefferson sands.

The Jefferson sand zone has been tested and produced approximately 40 mcfg per day and 70 barrels of water per day. The presence of water in the zone is surprising and the Operator believes this has been caused by a defective cement job on the casing pipe. The water issue could possibly be resolved by attempting a “cement squeeze,” however the partners have agreed that the best course is to plug off the Jefferson zone and move up the hole to test the Cromwell sand zone. Therefore a removable plug will be set on the Jefferson zone and the shallower Cromwell sand tested in the next few weeks.

The Cromwell, Booch and Union Valley zones remain to be tested in the Patriot 3 well and a successful Cromwell sand test will result in both Jefferson and Cromwell zones being proven productive on the Patriot Structure, which has the potential to add to the reserves of the prospect.

Shary #2 - Texas (K2 – 12.17% Working Interest)

The Shary #2 located in Hidalgo County Texas spudded on November 26th 2007 and was drilled to 8,900 feet. The well encountered strong gas shows in multiple potential pay sands. As anticipated the Shary #2 well logged the Shary #1 productive sand 58' higher on structure. Evaluation of the well logs indicated 120 feet of potential net pay over four potentially productive sands.

The four potentially productive sand zones were tested but unfortunately all produced excessive water, rendering all zones uneconomic. This result is particularly disappointing and confusing considering the well tested a producing zone that was 58' up dip from the producing Shary #1 well and was located on what was interpreted from 3D seismic to be a contiguous fault block. It is expected that the Operator will recommend that the well be plugged and abandoned.

Comment

While the result of the Shary #2 well is disappointing the company is pleased that the workover program on the existing wells in the Bad Creek project is beginning to yield increases in production for relatively modest expenditure.

The water problems on the Patriot #3 are a concern, although as the problem is most likely caused by engineering issues. the Jefferson Zone remains highly prospective and will again be tested with future development drilling. The other prospective zones in the well are important and have the potential if successful to add significantly to the possible reserves of the Patriot structure.

A big year of exploration is planned in the Bad Creek 3D seismic area with eight wells scheduled for drilling. This area has to date yielded a 100% exploration success rate, hence confidence is high for significant results in 2008.

For further information please contact Managing Director, Peter Moore on
02 9251 3311